



» TECHNICAL DISTRIBUTION

» REPAIR SERVICES


» QUALITY CONTROL




O-RING MEASURING TOWERS

No more inaccurate measurements!

Now you can quickly and easily determine the size of O-rings and elastic seals with diameters from Ø 5 to 300 mm.



Measuring tower 1
Ø 5 - 64 mm



Measuring tower 2
Ø 65 - 104 mm



Measuring tower 3
Ø 105 - 154 mm



Measuring tower 4
Ø 155 - 200 mm



Measuring tower 5
Ø 201 - 250 mm



Measuring tower 6
Ø 251 - 300 mm



HÄNSSLER
Kunststoff- und Dichtungstechnik

MEASURING TOWERS

For diameter ranges from 5 to 300 mm

For precise measurement of O-rings, rubber seals, and other elastic rings (Fig. 1) in 1 mm increments.

Position the ring on the tower until it rests firmly at the correct diameter marking (Fig. 3).

The O-ring measuring towers are made of high-quality POM (polyoxymethylene) and are available in six diameter ranges:

- o 005 - 064 mm
- o 065 - 104 mm
- o 105 - 154 mm
- o 155 - 200 mm
- o 201 - 250 mm
- o 251 - 300 mm

A complete set of all six measuring towers is also available.

Never get a measurement wrong again!

Using calipers to measure elastic rings frequently results in errors, as the rings can deform under pressure (Fig. 2).

Our robust measuring towers ensure accurate results: the ring is positioned firmly against the tower, allowing for a direct and precise diameter reading (Fig. 3).




Fig. 1



Fig. 2



Fig. 3

All recommendations are made to the best of our knowledge, but are non-binding and subject to application-specific conditions. No liability is assumed for any damage arising from their use. HMT/1T/sc/0317

Hänssler Kunststoff- und Dichtungstechnik GmbH
Edwin-Reis-Str. 5
68229 Mannheim

Telefon: +49 (0) 621 48480-0
Fax: +49 (0) 621 48480-33

haenssler@dicht.de
www.dicht.de



sicZert Zertifizierungen GmbH
Lotzbeckstraße 22 • 77933 Lahr

Zertifiziert nach
DIN EN ISO 9001
DIN EN ISO 14001
DIN EN ISO 50001